To: Courtnage, Robert[Courtnage.Robert@EPA.GOV] From: Walls, Michael Sent: Thur 1/26/2017 11:39:02 AM Subject: RE: Chloralkali Meeting Follow-up Thank you Robert. We'll be in touch soon. From: Courtnage, Robert [mailto:Courtnage.Robert@EPA.GOV] Sent: Wednesday, January 25, 2017 5:06 PM To: Walls, Michael Subject: Chloralkali Meeting Follow-up Mike- Thanks for your call this afternoon. We appreciate you bringing in the folks from Occidental and Olin for the meeting with us on 1/9. It was very informative. We look forward to getting a copy of the revised diagram of the diaphragm lifecycle and use process. We would also appreciate information and data on the following items: • 🗆 🗆 🗆 🗆 Emissions monitoring including both within the facility and ambient used in each diaphragm protective equipment (PPE) is required • 🗆 🗆 🗅 🗅 Any aggregated results of medical examinations for the personnel handling asbestos • 🗆 🗆 🗎 🗎 Any additional information you have on how the asbestos gets from the Brazilian mine to the US port Thanks again.

Regards,

Robert T. Courtnage

Associate Chief

Fibers and Organics Branch

National Program Chemicals Division

Office of Pollution Prevention and Toxics/OCSPP

U.S. Environmental Protection Agency

202.566.1081 (Desk)

202.740.2993 (Mobile)